



FOR CONSTRUCTION 06/14/12

<p>REVISIONS:</p> <table border="1"> <tr> <th>NO.</th> <th>DATE</th> <th>ISSUE HISTORY</th> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>	NO.	DATE	ISSUE HISTORY				<p>PLANS DRAWN BY:</p> <p><b>BC'S DRAWING</b></p> <p>100 ALAMON BLVD., ABERNATHY, FLORIDA 33505          PHONE: (662) 525-2222          WWW.BCSDRAWING.COM</p> <p>BUILDING CONTRACTOR:  <b>GOLDSMITH CONSTRUCTION</b></p> <p><b>M. OLIVE</b></p>	<p>ULTIMATE WIND SPEED 140 MPH CONVERSION FROM 100 TO 140 MPH = 140/100 = 1.40 USE WIND SPEED 110 MPH WIND FORCE REB 1608 EXPOSURE CATEGORY A          DESIGNER LOAD BEARING VALUE OF SOIL IS 1500 PSF ROOF LIVE LOAD = 20 PSF FLOOR LIVE LOAD = 40 PSF RSK          WIND LOADS PER 2009 IRC CHAPTER 16          ALL OTHER REQUIREMENTS TO MEET 2009 IBCR ALL ALUMINUM IS 6063 - IS ALUMINUM ALLOY</p>	<p>STRUCTURAL ENGINEER:  <b>LEONARD G. WOOD P.E. #41377</b>          4024 THE HEMLOCK VALLEY RD., FLORIDA 33860          (883) 430-2177 CELL</p>	<p>CONTRACTOR: GOLDSMITH CONSTRUCTION</p> <h1 style="text-align: center;">SAMMET RESIDENCE</h1> <p style="text-align: center;">CONSTRUCTION ADDRESS: 459 MEANDERING WAY</p> <p>CUSTOM HOME FOR  <b>SAMMET RESIDENCE</b>          PHASE 4          LOT 64</p> <p style="text-align: right;">BCC          LKW          06/14/12</p>
NO.	DATE	ISSUE HISTORY								